

What is claimed is:

1. A fuel cell comprising:

an electrolyte electrode assembly including a pair of
5 electrodes and an electrolyte interposed between said
electrodes;

separators for sandwiching said electrolyte electrode
assembly, a reactant gas supply passage and a reactant gas
discharge passage extending through said separators in a
10 stacking direction, at least one of said separators having a
reactant gas flow field connected between said reactant gas
supply passage and said reactant gas discharge passage for
supplying a reactant gas to said electrode;

a seal member provided around said electrode for
15 sealing said reactant gas flow field, said reactant gas
supply passage, and said reactant gas discharge passage; and

a filling seal provided tightly in contact with at
least an outer end surface of said electrode for preventing
leakage of said reactant gas at an outer region of said
20 electrode.

2. A fuel cell according to claim 1, wherein said
filling seal is provided near said reactant gas supply
passage and near said reactant gas discharge passage.

25 3. A fuel cell according to claim 1, wherein said
reactant gas flow field includes at least one U-Turn region,

and said filling seal is provided near said U-Turn region for preventing leakage of said reactant gas from said U-Turn region.

5 4. A fuel cell according to claim 1, wherein a seal groove is formed around said reactant gas flow field, said reactant gas supply passage, and said reactant gas discharge passage;

10 said seal member is provided in said seal groove; and
 said filling seal is provided in a part of a clearance between said seal member and said outer end surface of said electrode.

15 5. A fuel cell according to claim 1, wherein at least one of said separators has a coolant flow field for supplying a coolant to cool said electrode;

20 an additional filling seal is provided in a part of a clearance between said coolant flow field and said seal member for preventing leakage of said coolant into said clearance.

25 6. A fuel cell according to claim 5, wherein a coolant supply passage and a coolant discharge passage extend through said separators in said stacking direction; and

 said additional filling seal is provided near said coolant supply passage, and near said coolant discharge

passage.

5 7. A fuel cell according to claim 5, wherein said coolant flow field includes at least one U-Turn region, and said additional filling seal is provided near said U-Turn region for preventing leakage of said reactant gas from said U-Turn region.

10 8. A fuel cell according to claim 6, wherein a seal groove is formed around said coolant flow field, said coolant supply passage, and said coolant discharge passage, and said seal member is provided in said seal groove.